

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

EAST LOWNDES WATER ASSOCIATION, INC.
Public Water Supply Name

440005, 440080, 440081, 440103, 440100 List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

must be	mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please 2	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)

	Advertisement in local paper On water bills Other
	Date customers were informed: <u>66 /21 / 2011</u>
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Commercial DISPATCH
	Date Published:/_/
×	CCR was posted in public places. (Attach list of locations) Business Office Date Posted: 6/22/2011 1325 RIDGE ROAD - Columbus, MS
	Date Posted: 6/22/2011 1325 RIDGE ROAD - Cozumbus, MS
	CCR was posted on a publicly accessible internet site at the address: www

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

TRANT MITCHELL, CENERAL MANAGER
Name/Title (President, Mayor, Owner, etc.)

Jane 22, 2011

Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

STATE OF MISSISSIPPI,

County of Lowndes

PERSONALLY CAME before me, the undersigned, a notary public in and for Lowndes County, Mississippi, the CLERK of the Commercial Dispatch, a newspaper published in the City of Columbus, who, being duly sworn, deposes and says that the COMMERCIAL DISPATCH is a newspaper as defined and prescribed in Section 13-3-31 of the Mississippi Code of 1972, as amended effective July 1, 1976, and that the publication of a notice, of which the annexed is a copy, in the matter of

NOTICE OF INTENTION TO DI

has been made in said paper 1 times consecutively, to-wit:

06/21/2011 Linda Massey

SWORN TO and subscribed before me, this 21st day of June , 2011

Cheliosop Foster	
Notary Public	
PROOF OF PUBLICATION	
in	

THE COMMERCIAL DISPATCH

Columbus, MS ______ In the Case of Filed Proof

NOTARY PUBLIC Commission Expires March 31, 2013

ompany agrees to pay BP \$7

BY MICHAEL KUNZELMAN

NEW ORLEANS - A BP PLC contractor has agreed to pay the British oil giant \$75 million to settle all potential claims

between the companies explosion and the massive oil spill it spawned in the Gulf of Mexico.

In exchange for the and economic losses, Civil payment, BP has agreed and criminal fines and

to cover Weatherford U.S. over last year's deadly rig LP for compensatory claims related to the disaster, including those over environmental damage

penalties and claims for punitive damages aren't covered by the indemnity agreement,

BP said in Monday's announcement that it will apply the money to the

2010 Drinking Water Quality Report East Lowndes Water Association, Inc.

Last year, we conducted tests for over 80 contaminants. We only detected 3 of those contaminants, and found none at a level higher than EPA allows. As we told you at the time our water exceeded drinking water standards. (For more information see the section labeled Violations at the end of each report.) This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking (Mol-426-4791).

Where does my water come from?

Our water comes from nine wells - seven drawing from the Gordo Formation and two from the Coker Formation.

Source water assessment and its availability

Our source water assessment has been completed. Our wells were ranked LOWER in terms of susceptibility to contamination. For a copy of the report, please contact our office at 62-328-1065.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Holline (800426-4791).

The annual membership meeting will be held Monday, August 22, 2011, at 7:00 p.m. at the Association's business office located at 1325 Ridge Road. Columbus, MS. Our Board of Directors holds regular monthly meetings on the fourth Monday night of each month (except December) at the same time and location. All customers are welcome to attend; however, notice should be given to the business office 10 days prior to the regular monthly meeting in order to include any concerns on the agenda.

Additional Information for Lead

Additional Information for Lead
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. East Lowndes Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.eps.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Water Quality Data Tables

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

PWS 0440005 Plant One - Lee Stokes Road

Contaminants	MEDLO	PI, or MRDL	Voor Yester	Ha Lon	nge Mala	Somple 2BS1	Yiolation	Expiral Source
Disinfectants & Disin	fection By-Pro	ducts	2001					
Othere is convincing e		lition of a d	isinfectant	A Decess	uy for co	and of mi	crobial conto	minants:4
Chloring (as CI3) (ppu	1) 4	4	1.24	1.15	1.30	2010	No	Water additive used to cont.
Inorganic Contamina	WWW.Telescopesion	SINGRAL COLOR	entroperation	Section (Control of Control of Co	and the second	0.0 5 (S. S. S	enceste exercise	murobes.
Barium (ppm)	2		0.087151			2009	No.	Discharge of drilling waster
								Dischange from metal
220	marine or extending to be a considered							refluences brosion of nature
C'hromitim (ppb)	100	100	0.000877	NA.		2009	No	Discharge from steel and pr
				1.0	100			mills; Exosion of natural

PWS 0440080 Plant Two - Hucklebern Bood

Limiantistats Districtants & Districtory	or MRDLG Rection By-Pros	Nac I. T. F. or MRUL Ingle	Your Weter	Ra Lene	nce High	Sample Outs	Yidaliop	
Chlorine (na C12) (ppn Thorpanic Contamin	0 4		1.32		1.50		No	Water additive used to cont- mirrobes
Barium (ppm)	2		0.038034			2009	No	Discharge of drilling waster Discharge from metal refineries; lieuxion of nature deposits
Chromian (ppb)	100	100	0.000522	NA		2009	No	Discharge from steel and pu mills; Erosion of natural

PWS 0440081 Plant No. Three A 'East' - Old Yorkville Road

Contaminants	MCLG or MRDLG	MCL. TT, or MBDL	Your Mater	Na Lun	oge	Sumple Bute	Yiolation	Tenical Source
Disinfectante & Disin				on the second				
(There is convincing ex-		tion of a d			is for éa	ideal of m	crobial conta	izitiants.)
Chloring (as Cl2) (ppm			1.24	1.20	1,29	2010	No	Water additive used to cont
Inorganio Contamina	nts		V 100					
Burium (ppm)			0.081862	NA		2000	No	Discharge of drilling syaste; Discharge from metal refineries; fixesion of rature
Chemium toph)	YOU						5 (1.5) (1.5) (1.5) (1.5) 	deposits
Cattinitan (ppily	1001	100	0.000657	NA.		2009	No	Discharge from steel and pu mills: Efosion of natural deposits
Contaminants	MCLG	ΔL	Your Water	Sample Pate		Samples College AL	Executs AL	Explant Nource
Inorganic Contamina	uts							

PWS 0440103 Plant No. Three B 'West' - Old Yorkvilla Pood

Contonitoris	AMPLG	1717, or 53,83214	Your Water	isi Kany	inge Man	Sample <u>Date</u>	Violation	Expical Source
Distancetants & Dista Chere is convincing a	ddince that ado		hisipfectant i	rocess	ary for c	oneral of soi	crobial coma	monts)
Chloriae (set C12) (ppm).	4	1.27	1.27	1.27	2010	No	Water additive used to co
Inorganic Contoinion	nus			W.###	NOTES TO		(September	microbes
guiseum (hbia)	2	3 1	0.081862	NA		3609	No	Discharge of drilling was
								Discharge from metal refineries; Erasion of nan deposits
Triontium (ppls)	100	160	0.000657	SA		2009	No	Discharge from steel and audis; Prosion of named
and the service of th								deposits
factaovinauts	MCLG	A.I.	None Water	Samula		Samples exting AL	F. Negyda Al	Lypical Source

PWS 0440101 - Herman-Vaughn Road MCLG SEL. G. Gl. or Noar Range Sungle

Additional Information for Lead

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children i.ead in drinking water is primarily
from materials and components associated with service lines and home plumbing. East Lowndes Water A sociation is responsible for providing high quality
drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several bours, you can minimize
the potential for lead exposure by flushing your tep for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in
your water, you rray with to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is
available from the Safe Drinking Water Hotline or at http://www.ejas.gov/safewsier/lead. The Mississippi State Department of Health Public Health Laboratory
offers lead testing for \$10 per sample. Please contact 691-576-7582 if you wish to bave your water tested.

Water Quality Data Tables

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

PWS 0440005 Plant One - Lee Stokes Road

Districtions & Distriction By-Products There is conviousing existence that addition of a distriction is necessary for control of microbial control of microb	200	MCI G MCI. or Tr.or Your Rangs Sample MRDIG MRDI, Water Lan High Data Molation Facility Source	
interpret			
	5).	ificologi	
Barium (ppm) 2 2 0.087151 NA 2009 No Discharge of drilling waste	2	2 2 0.087151 NA 2009 No Discharge of drilling wester	Company of the Compan
			Ctromian (ppb)

PWS 0440080 Plant Two - Huckleberry Road

Contambanes	MCLG or MEDIG	MCL, 11, or MRDS.	Your Water		Distr nic	Sample Date	Violenton	Typical Source
Disinfectants & Disinf (There is convincing ev			isinfectaeri i	nek ess	ny for co	atrd of m	ctubial conta	minasts I
Chlorine (as CI2) (ppm Intervante Contambat		A	1.32	1.14	1.50	2010	No	Water additive used to com- microbes
Bariuo (ppm)	2	2	0.038034	NA.		2009	No	Discharge of drilling waster Discharge from metal reflueries; Presion of nature deposits
Chromiust (pph)	100	100	0,000522	NA		2009	No	Discharge from steel and pu mills, Erosion of natural deposits

PWS 0440081 Plant No. Three A 'East' - Old Yorkville Road

Conteminents	MCLG MRDLG	MCL. TL.or MRML	Your Water	Pan Low		Yiolation	Typical Source
Disinfectants & Distut			inial creat		of or control of ou	embiat conta	etinania i
Chlorine (as Cl2) (ppm		4	1.24	1,20		No	Water additive used to comb microbes
Inorganic Contamina Barium (ppm)	ora	2	0.081862	NA .	2009	No	Discharge of drilling waster
							Discharge from metal refineries: Erosion of nature deposits
Chromium (ppb)	1 (80	100	0.000657	NA	2009	No	Discharge from steel and pi milts; Erosion of natural deposits
Consultant	MCLS	i AL	Your Weisr	Sample Date	# Samples Exceeding Al	Exceeds AL	
Inorganic Contuminat	ats						

PWS 0440103	MCLG or MRDLG	AICE.	Your Water	Run		Violation	Typical Source
Contaminants			72,000		1020	21-11-11-11-11-11	3311311311313
Disinfections & Disinfer							
Trhere is convocing evid	ency that add	ition of a d					
Chloriné (as Cl2) (ppm)			1.27	1.31	1.27 2010	No	Water additive used to cont microbes
Inorganic Contaminants			Assessment				
Barium (ppm)	2	2	0.081862	NA	2609	No To	Discharge of drilling waster Discharge from metal yethneries; Brosion of nature deposits
Chromium (ppb)	300	100	0.000657	NA	3009	No	Discharge from steel and m mills: Eresion of natural deposits
Controligants	мета	Δ1,	Your Woter	Sample Date	# Samples Execedion AL	Excepts Ali	Trainel Source
Inorganic Contaminants							

RWS 0440101 - Herman-Vaughn Road

Contaminants	MCLG MELG MRDLG	MCI. Trac MRM	Your Your Yelli	It a	пре	Sample Date	Yabition	Typical Source
Disinfectants & Disinfe (There is convincing evi			igiistocumu i	a necessi	nry for ex	introl of m	cyobial contar	
Chlorine (as C12) (ppm)		•	1.26	1.00	1.57	2010	No	Water additive used to cont microbes
Inorganie Comaminan Bation (ppm)	its 2	2	11.088456	NA.		2009	No	Discharge of drilling wastes Discharge from metal
								reflueries; Erosion of nature deposits
Chromium (ppb)	100	100	0.001193	NA		2009	N6	Discharge from steel and pr mills; Presion of natural deposits
TTHMs (Tota)	NA	80	1.06	NA		2009	No	By-product of drinking was

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the East Lowndes Water Association is required to report contain results pertaining to fluoridation of our water system. The swrape of all dealy fluorides samples within each month for each respective PWS share were within the optimal range of 9.7-1.5 ppm. The porcentage of monthly averlaged fluoride samples collected in the previous catendary seat that verse within the optimal range of 0.7-1.3 ppm was 100%:

Defaultion Def	Unit Descriptions	
ppb party per billion, or micrograms per lifer (1947). NA NA to Applicable NO NA NA to Applicable NA N	Term	Definition
NAT NAT paper	ppm	
ND Not detected NR Mountaining and recommended.	ppb	
Signature Sign		
Important Destriction Term MCLG MCLG; Morning Communicant Level Good: The feed of a communicant in detailing water MCLG. MCLG; Morning Communicant Level Good: The feed of a communicant in detailing water and selection of a selection of the feed of a selection of a selecti	ND	ND: Not detected
Term	NR 130	NR: Monitoring not required, but recommended.
Term		
MCLG. Maximum Contaminant Level Good. The level of a contaminant in distalon was below which there is no known or expected risk to health. MCLGs allow for a nargain of MCL. MCL. McMinum Contaminant Level; The highest level of a contaminant that is allowed in distalong water. MCL are set as close to the MCLGs as fensible using the best available treatment technology. TT: Frequent Technology. TT: Frequent Technology. AL. Action Level; The concentration of a contaminant which, I receeded, inggers treatment of the model	Important Drinking Water Oclinities	19
below which there is no known or expected risk to beatth. MCLGs allow for a nurajin of a stage of the common of th	Term	
MCL MCL MCC: Mscinnum Contaminant Level: The highest level of a contaminant that is allowed in rectament technology. The many contaminant technology. The many contaminant technology. The many contaminant technology. AL AL AL AL AL AL AL AL AL A	MCLG	
MCL. McCin. McCi		
drinking water. MrL are set as close to the MCLGs as feasible using the best available teaming the less available teaming the less of a contaminant in dishibiting vaser. AL are contamined to reduce the level of a contaminant which, if exceeded, in genr teams or other content contaminant which, if exceeded, in genr teams or other content contaminant which, if exceeded, in genr teams or other content contaminant which, if exceeded, in genr teams or other content contaminant which, if exceeded, in genr teams or other content contaminant which, if exceeded, in genr teams or other contaminant contaminant contaminant contamination. MRDLG MRDLG Maximum resident dishiftenant of the level of a drinking water dishiftenant below which there is no known or expected risk to health MRDLGs do not dishiftenant place which there is no known or expected risk to health MRDLGs do not dishiftenant place which there is no known or expected risk to health MRDLGs do not dishiftenant place which there is no known or expected risk to health MRDLGs do not dishiftenant level of a drinking water. There is convicting evidence that adultion of a dishiftenant above in drinking water. There is convicting evidence that adultion of a dishiftenant is necessary for council of microbial contaminants.	\$15,000 Gas &	
Tr Trainment Technique. A required process intended to reduce the level of a contaminant in dishbiling years. AL In dishbiling years. AL In dishbiling years. AL In dishbiling years. Variances and Exemptions. Variances and Exemption. Variances and	MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in
TT Transment Technique. A required process intended to reduce the level of a contaminant of dishibit parter. AL ALI AAI in Level. The concentration of a contaminant which, if exceeded, triggers treamer are under capationents which a water explain must follow. Variances and Eventplions (exchique moder certain conditions). A permission not to meet an MCL or a treatment exchique moder certain conditions. MRDLG (MRDLG) Alies are a second and a second the level goal. The level of a defining water disinfection below which there is no known or expected risk to health, MRDLG do not reflect the benefit of the case of disinfections to control missobil commitment and lowest in diship water. There is conviciously evidence that addition of a disinfectint is necessary for coupled for microbial commitment.		
AL Additional Section 1 of the Concentration of a contaminant childs, if exceeded, fraggers treatment of the Concentration of the concentration of the contaminant childs, if exceeded, fraggers treatment of the Concentration of the Concentra		
AL ACLASIBAL Evel. The concentration of a contaminant which, if execeded, inggers resumed an other ciquitements which a water spacer must follow. Variances and Evemptions. Variances and Evemptions. Variances and Evemptions. Variances and Evemptions. Variances and Evemptions. State or RFA permission not to meet an MCL or at returned and the contaminant of the contamination of a displacement of a displacement of the contamination.	TIT SEE SEE	
or other constrained which a water system must follow. Variances and Exemptions Variances and Exemptions Variances and Exemptions MRDLG M	and the second s	
International Communication International Communicational Communicational Communication International Communicational Communicatio	[스타일/: [1 - 1 - 시간 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
MRDLG MRDLG Maximum resisted distriction towl goad. The level of a diffining water distribution felow which there is no known or expected risk to Intally, MRDLGs do not reflect the benefits of the use of distribution to control microbial constantinants. MRDL MRDLS (Maximum residual distribution to Vect.) The highest level of a distribution of a distri	Variances and Exemptions	
distinfaction below which there is no known or expected risk to health MRDLGs do not reflect the basefuls of the use of disinfections to control microbial contantinants. MRDL MRDLS, Maximum residual distinfaction faced. The highest level of a disinfaction allowed in the control of the distinction allowed in the control of a disinfaction allowed in control of the distinction and the control of a distinguishment to exceed the distinction of a distinguishment to exceed the distinction.		
reflect tigh Searbis of the use of disinfections to control microbial consistantizants. MRDL MRDL Skasiman redduct distinfection to event level of a disinfection of one of the distinguishment. In the distinguishment of the distinct of the distinct of a distinfection of a distinfection of course of principals constantianants.	MRDLG	
MRDL MRDL Staximum residual disinfection fevel. The highest level of a disinfection ablowed in drinking water. There is convening evidence that addition of a disinfection is necessary for control of microbial contamination.		disinfiction below which there is no known or expected risk to health. MRDLOs do not
drinking water. There is convincing evidence that addition of a distributant is necessary for contaminants.		
control of microbial contaminants.	MRDL	
	English and the second second second second	
MNR: Monitored Not Regulated		
MPL: State Assigned Maximum Permissible Level	I MPL	: MPL: State Assigned Maxantum Permissible Level

Grant Mitchell, General Manager gran@cableone.net www.eastlowndes.com 662-327-0915 fix For more information please contact: Post Office Box 9190 Columbias, MS 39705 662-328-1065 office

Grant Mitchell

From: JoBeth Maughan [jmaughan@highcottonusa.com]

Sent: Tuesday, June 21, 2011 4:34 PM

To: Billing Clerk; Transmail

Cc: Alicia Sealy Godwin; GRANT MITCHELL

Subject: RE: Water Quality Report Message

I have sent to programming and am waiting to hear back from programming. I will e-mail you in the morning.

Thank you

JoBeth Maughan Account Manager



P.O. Box 101568 Birmingham, AL 35210-6568

Direct: 205-838-2856 Fax: 205-836-5587

imaughan@highcottonusa.com

From: Billing Clerk [mailto:abillingclerk08@yahoo.com]

Sent: Tuesday, June 21, 2011 11:40 AM

To: JoBeth Maughan; Transmail

Cc: Alicia Sealy Godwin; GRANT MITCHELL **Subject:** Water Quality Report Message

Good Morning JoBeth,

Will you added the following message to our billing statements from the June 21 - July 14, 2011.

Message?

Your annual Water Quality Report was run in the Commercial Dispatch on June 21, 2011 and will not be mailed to you unless you make a specific request.

Carlissa D. Smith Billing Clerk East Lowndes Water Assn. (662) 328-1065

[&]quot;Treat all people with dignity and respect!"